


BS WIRING ACCESSORIES

CATALOGUE



Shanghai Shinelite Electric Co.,Ltd.

Headquarters

No. 2588 Jinhai Road, Pudong New Area, Shanghai, China

Tel: (86)21-36382278 Fax: (86)21-36382278

Email: bruce@shinelite.cc Web: www.shinelite.cc

Production Base

Fuyang Economic & Technical Development Zone, Hangzhou, China

Professional in Manufacturing **BS** Wiring Accessories

MAKE ELECTRIC

SAFETY
SIMPLE
GREEN



COMPANY PROFILE



Shanghai Shinelite Electric Co.,Ltd is a well-established company with 12 years manufacturing experience, which specializes in manufacturing British Standard wiring accessories. Our main market is Europe, Middle East, South America, Africa and Asia.

Our products contain more than 15 series and 1000 items, including wall switch, socket, extension socket, lampholder, plug, junction box, ceiling rose, metal box and other electrical accessories.



AROUND THE WORLD




CORRIPARIY QUAIIIFICATION

We have the latest product certificate



PRODUCT CONTENTS >>





Specifications :

1. Screw less switch design.
2. Multi color covers.
3. Slim Design, Stylish Look.

MULTI COLOR COVERS

Frame design can be customized
Different colours are available
Screwless design





Shine Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S301	1 gang 1 way switch	100pcs	0.034
	S302	1 gang 2 way switch	100pcs	0.034
	S303	2 gang 1 way switch	100pcs	0.034
	S304	2 gang 2 way switch	100pcs	0.034
	S305	3 gang 1 way switch	100pcs	0.034
	S306	3 gang 2 way switch	100pcs	0.034
	S307	4 gang 1 way switch(3×3)	100pcs	0.034
	S308	4 gang 2 way switch(3×3)	100pcs	0.034



S301 S302



S307 S308

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	S317	10A bell switch(bell)	100pcs	0.034
	S313	1 gang 2 way intermediate switch	100pcs	0.034



S317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S324	20A 1 gang double pole switch+neon	100pcs	0.034
	S327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	S329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	S331	45A switch+neon+13A switched socket+neon	50pcs	0.029



S331

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Shine Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	S351	250W 1 gang speed switch	100pcs	0.034
	S353	250W 2 gang dimmer switch, single pole	50pcs	0.029
	S355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	S356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	S555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	S556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



S355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S405	13A 1 gang switched socket, single pole	100pcs	0.034
	S406	13A 2 gang switched socket, single pole	50pcs	0.029
	S409	13A 1 gang switched socket, double pole	100pcs	0.034
	S410	13A 2 gang switched socket, double pole	50pcs	0.029
	S407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	S407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	S408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	S408U	13A 1 gang multi-function switched socket, single pole+neons	50pcs	0.029
	S411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	S412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



S405



S406

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Shine Range

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S429	15A 1 gang switched round-pin socket	100pcs	0.034
	S431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



S429

■ Conform to BS 546

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	S413	13A fused connection unit+neon	100pcs	0.034
	S419	13A switched FCU'S+neon	100pcs	0.034



S419

■ Conform to BS 1363: Part 4


>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	S444	16A 2 gang multi-function socket	100pcs	0.034
	S445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	S446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	S458	shaver socket	25pcs	0.029
	S460	16A 1 gang multi-function socket	100pcs	0.034



S446

Plastic & Metal Plates Are Available



High Quality PC Plate,
Heat Resistant



Coated Metal,
Stronger and Heavier

Shine Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S432	coaxial socket, single outlet	100pcs	0.034
	S433	coaxial socket, twin outlet	100pcs	0.034
	S166	single satellite socket	100pcs	0.034
	S168	double satellite socket	100pcs	0.0331



S432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S452	telephone socket	100pcs	0.034
	S438	1 gang telephone socket, secondary	100pcs	0.034
	S439	1 gang telephone socket, master	100pcs	0.034
	S440	2 gang telephone socket, secondary	100pcs	0.034
	S442	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	S443	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



S439

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	S820	20A connection plate	100pcs	0.034
	S821	45A connection plate	100pcs	0.034
	S401	1 gang blank plate	200pcs	0.034
	S402	2 gang blank plate	100pcs	0.029



S401

■ Conform to BS 5733
■ Material: Polycarbonate
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Classic RANGE

Modern design, Stylish Look



1. Honeycomb design solid structure
2. Copper materials, safety guarantee
3. Modern design, Stylish Look

Classic Range

Modern design, Stylish Look

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C301	1 gang 1 way switch	100pcs	0.034
	C302	1 gang 2 way switch	100pcs	0.034
	C303	2 gang 1 way switch	100pcs	0.034
	C304	2 gang 2 way switch	100pcs	0.034
	C305	3 gang 1 way switch	100pcs	0.034
	C306	3 gang 2 way switch	100pcs	0.034
	C307	4 gang 1 way switch(3×3)	100pcs	0.034
	C308	4 gang 2 way switch(3×3)	100pcs	0.034



C301 C302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	C317	10A bell switch(bell)	100pcs	0.034
	C313	1 gang 2 way intermediate switch	100pcs	0.034



C317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C324	20A 1 gang double pole switch+neon	100pcs	0.034
	C327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	C329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	C331	45A switch+neon+13A switched socket+neon	50pcs	0.029



C324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Classic Range

Modern design, Stylish Look

>> DIMMER SWITCHES


Picture	No.	Description	Carton	Volume(cbm)
	C350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	C351	250W 1 gang speed switch	100pcs	0.034
	C353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	C355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	C356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	C555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	C556	1000W 2 gang dimmer switch, single pole	100pcs	0.034



C351

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C405	13A 1 gang switched socket, single pole	100pcs	0.034
	C406	13A 2 gang switched socket, single pole	50pcs	0.029
	C409	13A 1 gang switched socket, double pole	100pcs	0.034
	C410	13A 2 gang switched socket, double pole	50pcs	0.029
	C407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	C407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	C408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	C408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	C411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	C412	13A 2 gang switched socket, double pole+neons	50pcs	0.029
	C4052	13A 1 gang socket+double USB	100pcs	0.034
	C405U2	13A 1 gang multi-function socket+double USB	100pcs	0.034



C405



C405U2

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Classic Range

Modern design, Stylish Look

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C429	15A 1 gang switched round-pin socket	100pcs	0.034
	C431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



C431

- Conform to BS 546
- Material: Polycarbonate

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	C413	13A fused connection unit+neon	100pcs	0.034
	C419	13A switched FCU'S+neon	100pcs	0.034

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	C444	16A 2 gang multi-function socket	100pcs	0.034
	C445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	C446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	C458	shaver socket	25pcs	0.029
	C460	16A 1 gang multi-function socket	100pcs	0.034



C446

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C432	coaxial socket, single outlet	100pcs	0.034
	C433	coaxial socket, twin outlet	100pcs	0.034
	C166	single satellite socket	100pcs	0.034
	C168	double satellite socket	100pcs	0.034



C432

Classic Range

Modern design, Stylish Look

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C452	telephone socket	100pcs	0.034
	C438	1 gang telephone socket, secondary	100pcs	0.034
	C439	1 gang telephone socket, master	100pcs	0.034
	C440	2 gang telephone socket, secondary	100pcs	0.034
	C442	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	C443	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



C439

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	C820	20A connection plate	100pcs	0.034
	C821	45A connection plate	100pcs	0.034
	C401	1 gang blank plate	100pcs	0.034
	C402	2 gang blank plate	50pcs	0.029
	C450	Sensitive time switch	100pcs	0.034



C401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Elite RANGE

Modern design Super slim



Specifications:

1. Super Slim Plate
2. Modern Design
3. Superior Materials
4. Safe Shutter

Elite Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	E301	1 gang 1 way switch	100pcs	0.034
	E302	1 gang 2 way switch	100pcs	0.034
	E313	1 gang 2 way intermediate switch	100pcs	0.034
	E303	2 gang 1 way switch	100pcs	0.034
	E304	2 gang 2 way switch	100pcs	0.034
	E305	3 gang 1 way switch	100pcs	0.034
	E306	3 gang 2 way switch	100pcs	0.034
	E307	4 gang 1 way switch	50pcs	0.029
	E308	4 gang 2 way switch	50pcs	0.029



E301 E302



E303 E304

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	E317	10A bell switch	100pcs	0.034
	E319	10A bell switch+neon	100pcs	0.034



E317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	E324	20A 1 gang double pole switch+neon	100pcs	0.034
	E327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	E329	45A 1 gang double pole switch+neon, double plate(86×146)	50pcs	0.029
	E331	45A switch+neon+13A switched socket+neon	50pcs	0.029



E327

- Conform to BS EN 60 669-1
- Material: Bakelite

Elite Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	E350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	E351	250W 1 gang speed switch	100pcs	0.034
	E353	250W 2 gang dimmer switch, single pole	50pcs	0.034
	E355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	E356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	E555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	E556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



E355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E405	13A 1 gang switched socket, single pole	100pcs	0.034
	E406	13A 2 gang switched socket, single pole	50pcs	0.029
	E407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	E408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	E411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	E412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



E407

- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	E407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	E408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	E407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	E408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



E407DU

Elite Range

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	E4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	E4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	E407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	E407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.029



E4051

- Conform to BS 1363 & EN 60950-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	E413	13A fused connection unit+neon	100pcs	0.034
	E419	13A switched FCU'S+neon	100pcs	0.034



E413

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E429	15A 1 gang switched round-pin socket	100pcs	0.034
	E431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



E429

- Conform to BS 546
- Material: Bakelite

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	E444	16A 2 gang multi-function socket	100pcs	0.034
	E445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	E446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	E458	shaver socket	50pcs	0.029
	E460	16A 1 gang multi-function socket	100pcs	0.034



E445

- Conform to BS 4573, BS60742

Elite Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E432	coaxial socket,single outlet	100pcs	0.034
	E433	coaxial socket,twin outlet	100pcs	0.034
	E166	single satellite socket	100pcs	0.034
	E168	double satellite socket	100pcs	0.034



E166

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	E452	telephone socket	100pcs	0.034
	E438	1 gang telephone socket,secondary	100pcs	0.034
	E439	1 gang telephone socket,master	100pcs	0.034
	E440	2 gang telephone socket,secondary	100pcs	0.034
	E442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	E443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



E452

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	E820	20A connection plate	100pcs	0.034
	E821	45A connection plate	100pcs	0.034
	E401	1 gang blank plate	200pcs	0.034
	E402	2 gang blank plate	100pcs	0.029



E401

- Conform to BS 5733
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Smart RANGE

Modern design, Super slim



0.5cm



Smart Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A301	1 gang 1 way switch	100pcs	0.034
	A302	1 gang 2 way switch	100pcs	0.034
	A313	1 gang 2 way intermediate switch	100pcs	0.034
	A303	2 gang 1 way switch	100pcs	0.034
	A304	2 gang 2 way switch	100pcs	0.034
	A305	3 gang 1 way switch	100pcs	0.034
	A306	3 gang 2 way switch	100pcs	0.034
	A307	4 gang 1 way switch	50pcs	0.029
	A308	4 gang 2 way switch	50pcs	0.029
	A309	6 gang 1 way switch	50pcs	0.029
	A310	6 gang 2 way switch	50pcs	0.029



A301 A302



A305 A306

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	A317	10A bell switch	100pcs	0.034
	A319	10A bell switch+neon	100pcs	0.034



A317

- Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A324	20A 1 gang double pole switch+neon	100pcs	0.034
	A327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	A329	45A 1 gang double pole switch+neon, double plate(86×146)	50pcs	0.029
	A331	45A switch+neon+13A switched socket+neon	50pcs	0.029



A324

- Conform to BS EN 60 669-1
- Material: Bakelite

Smart Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	A350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	A351	250W 1 gang speed switch	100pcs	0.034
	A353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	A355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	A356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	A555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	A556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



A355

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A405	13A 1 gang switched socket, single pole	100pcs	0.034
	A406	13A 2 gang switched socket, single pole	50pcs	0.029
	A409	13A 1 gang switched socket, double pole	100pcs	0.034
	A410	13A 2 gang switched socket, double pole	50pcs	0.029
	A407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	A408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	A411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	A412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



A405



A406

- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Smart Range

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	A407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	A408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	A407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	A408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



A407U

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	A4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	A4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	A407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	A407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.029



A4051

- Conform to BS 1363 & EN 60950-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Smart Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	A413	13A fused connection unit+neon	100pcs	0.034
	A419	13A switched FCU'S+neon	100pcs	0.034



■ Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A429	15A 1 gang switched round-pin socket	100pcs	0.034
	A431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



■ Conform to BS 546
■ Material: Bakelite

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	A444	16A 2 gang multi-function socket	100pcs	0.034
	A445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	A446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	A458	shaver socket	50pcs	0.029
	A460	16A 1 gang multi-function socket	100pcs	0.034



■ Conform to BS 4573, BS60742



Smart Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A432	coaxial socket,single outlet	100pcs	0.034
	A433	coaxial socket,twin outlet	100pcs	0.034
	A166	single satellite socket	100pcs	0.034
	A168	double satellite socket	100pcs	0.034



A432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	A452	telephone socket	100pcs	0.034
	A438	1 gang telephone socket,secondary	100pcs	0.034
	A439	1 gang telephone socket,master	100pcs	0.034
	A440	2 gang telephone socket,secondary	100pcs	0.034
	A442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	A443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



A452

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	A820	20A connection plate	100pcs	0.034
	A821	45A connection plate	100pcs	0.034
	A401	1 gang blank plate	200pcs	0.034
	A402	2 gang blank plate	100pcs	0.029



A401

■ Conform to BS 5733
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

VICTORY RANGE



- UREA material, heat resistance
- Smooth sound and gentle touching feeling
- The installer's dream, the user's delight!

Victory Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V301	1 gang 1 way switch	100pcs	0.034
	V302	1 gang 2 way switch	100pcs	0.034
	V313	1 gang 2 way intermediate switch	100pcs	0.034
	V303	2 gang 1 way switch	100pcs	0.034
	V304	2 gang 2 way switch	100pcs	0.034
	V305	3 gang 1 way switch	100pcs	0.034
	V306	3 gang 2 way switch	100pcs	0.034
	V307A	4 gang 1 way switch(3×3)	100pcs	0.034
	V308A	4 gang 2 way switch(3×3)	100pcs	0.034
	V307B	4 gang 1 way switch(3×3)	100pcs	0.034
	V308B	4 gang 2 way switch(3×3)	100pcs	0.034
	V307	4 gang 1 way switch(3×6)	50pcs	0.029
	V308	4 gang 2 way switch(3×6)	50pcs	0.029
	V309	6 gang 1 way switch(3×6)	50pcs	0.029
	V310	6 gang 2 way switch(3×6)	50pcs	0.029



V301



V305

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Victory Range

>> BELL SWITCH


Picture	No.	Description	Carton	Volume(cbm)
	V317	10A bell switch(bell)	100pcs	0.034
	V319	10A bell switch(bell)+neon	100pcs	0.034



V317

■ Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V324	20A 1 gang double pole switch+neon	100pcs	0.034
	V327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	V329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	V331	45A switch+neon+13A switched socket+neon	50pcs	0.029



V327

■ Conform to BS EN 60 669-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	V350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	V351	250W 1 gang speed switch	100pcs	0.034
	V353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	V355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	V356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	V555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	V556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



V355

■ Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
■ Clear terminal markings
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Victory Range

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V405	13A 1 gang switched socket, single pole	100pcs	0.034
	V406	13A 2 gang switched socket, single pole	50pcs	0.029
	V409	13A 1 gang switched socket, double pole	100pcs	0.034
	V410	13A 2 gang switched socket, double pole	50pcs	0.029
	V407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	V408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	V411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	V412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



V408

■ Conform to BS 1363: Part 2
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	V407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	V408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	V407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	V408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



V407U

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	V4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	V4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	V407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	V407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.034



V407U1

■ Conform to BS 1363 & EN 60950-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Victory Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	V413	13A fused connection unit+neon	100pcs	0.034
	V419	13A switched FCU'S+neon	100pcs	0.034



■ Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V429	15A 1 gang switched round-pin socket	100pcs	0.034
	V431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



■ Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	V444	16A 2 gang multi-function socket	100pcs	0.034
	V445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	V446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	V458	shaver socket	25pcs	0.029
	V460	16A 1 gang multi-function socket	100pcs	0.034



■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Victory Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V432	coaxial socket,single outlet	100pcs	0.034
	V433	coaxial socket,twin outlet	100pcs	0.034
	V166	single satellite socket	100pcs	0.034
	V168	double satellite socket	100pcs	0.034



>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	V452	telephone socket	100pcs	0.034
	V438	1 gang telephone socket,secondary	100pcs	0.034
	V439	1 gang telephone socket,master	100pcs	0.034
	V440	2 gang telephone socket,secondary	100pcs	0.034
	V442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	V443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	V820	20A connection plate	100pcs	0.034
	V821	45A connection plate	100pcs	0.034
	V401	1 gang blank plate	200pcs	0.034
	V402	2 gang blank plate	100pcs	0.029



■ Conform to BS 5733
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

WHITE RANGE

High quality moulded white wiring accessories which has become well established over the last 12 years with proven quality and value.



White Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W301	1 gang 1 way switch	100pcs	0.034
	W302	1 gang 2 way switch	100pcs	0.034
	W313	1 gang 2 way intermediate switch	100pcs	0.034
	W303	2 gang 1 way switch	100pcs	0.034
	W304	2 gang 2 way switch	100pcs	0.034
	W305	3 gang 1 way switch	100pcs	0.034
	W306	3 gang 2 way switch	100pcs	0.034
	W307	4 gang 1 way switch(3×6)	50pcs	0.029
	W308	4 gang 2 way switch(3×6)	50pcs	0.029
	W309	6 gang 1 way switch(3×6)	50pcs	0.029
	W310	6 gang 2 way switch(3×6)	50pcs	0.029



- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee



White Range

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	W317	10A bell switch(bell)	100pcs	0.034
	W319	10A bell switch(bell)+neon	100pcs	0.034



■ Conform to BS EN 60 669-1

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W324	20A 1 gang double pole switch+neon	100pcs	0.034
	W327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	W329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	W331	45A switch+neon+13A switched socket+neon	50pcs	0.029



■ Conform to BS EN 60 669-1
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	W351	250W 1 gang speed switch	100pcs	0.034
	W353	250W 2 gang dimmer switch, single pole	100pcs	0.034
	W355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	W356	500W 2 gang dimmer switch, single pole	100pcs	0.034
	W555	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	W556	1000W 2 gang dimmer switch, single pole	50pcs	0.029



■ Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
■ Clear terminal markings
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

White Range

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W405	13A 1 gang switched socket, single pole	100pcs	0.034
	W406	13A 2 gang switched socket, single pole	50pcs	0.029
	W409	13A 1 gang switched socket, double pole	100pcs	0.034
	W410	13A 2 gang switched socket, double pole	50pcs	0.029
	W407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	W408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	W411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	W412	13A 2 gang switched socket, double pole+neons	50pcs	0.029




W406

■ Conform to BS 1363: Part 2
■ Material: Bakelite
■ Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> MULTI FUNCTION SOCKETS

Picture	No.	Description	Carton	Volume(cbm)
	W407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	W408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	W407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	W408DU	2 gang 5 pin multi-function socket, single pole+neons	50pcs	0.029



W407U

>> 13AMP SOCKETS WITH USB OUTLET

Picture	No.	Description	Carton	Volume(cbm)
	W4051	13A 1 gang switched socket, single pole+USB socket	100pcs	0.034
	W4062	13A 2 gang switched socket, single pole+2 USB sockets	50pcs	0.029
	W407U1	13A 1 gang multi-function switched socket, neon+USB socket	100pcs	0.034
	W407U2	13A 1 gang switched socket, neon+2 USB sockets	100pcs	0.034



W407U1

■ Conform to BS 1363 & EN 60950-1

White Range

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	W413	13A fused connection unit+neon	100pcs	0.034
	W419	13A switched FCU'S+neon	100pcs	0.034



■ Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W429	15A 1 gang switched round-pin socket	100pcs	0.034
	W431	15A 1 gang switched round-pin socket+neon	100pcs	0.034



■ Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	W444	16A 2 gang multi-function socket	100pcs	0.034
	W445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	W446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	W458	shaver socket	25pcs	0.029
	W460	16A 1 gang multi-function socket	100pcs	0.034



■ Conform to BS 4573, BS60742

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W432	coaxial socket,single outlet	100pcs	0.034
	W433	coaxial socket,twin outlet	100pcs	0.034
	W166	single satellite socket	100pcs	0.034
	W168	double satellite socket	100pcs	0.034



White Range

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W452	telephone socket	100pcs	0.034
	W438	1 gang telephone socket,secondary	100pcs	0.034
	W439	1 gang telephone socket,master	100pcs	0.034
	W440	2 gang telephone socket,secondary	100pcs	0.034
	W442	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	W443	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	W820	20A connection plate	100pcs	0.034
	W821	45A connection plate	100pcs	0.034
	W401	1 gang blank plate	200pcs	0.034
	W402	2 gang blank plate	100pcs	0.029



■ Conform to BS 5733
 ■ Material: Bakelite
 ■ Dimension: 86.5×86.5 mm (1 gang)
 86.5×146.5 mm (2 gang)



Metal Clad RANGE



Manufactured from high quality steel with stylish good looks, Metal clad range has a striking appearance with flush fitting front plates and discreet neons. Metal clad, rugged reliability with style.

All metal clad sockets and switches are supplied with back boxes



Metal Clad Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	M301	1 gang 1 way switch	100pcs	0.0416
	M302	1 gang 2 way switch	100pcs	0.0416
	M303	2 gang 1 way switch	100pcs	0.0416
	M304	2 gang 2 way switch	100pcs	0.0416
	M305	3 gang 1 way switch	100pcs	0.0416
	M306	3 gang 2 way switch	100pcs	0.0416
	M307	4 gang 1 way switch(3x6)	50pcs	0.0385
	M308	4 gang 2 way switch(3x6)	50pcs	0.0385
	M309	6 gang 1 way switch	50pcs	0.0385
	M310	6 gang 2 way switch	50pcs	0.0385



M301 M302



M305 M306

- Conform to BS EN 60 669-1
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	M317	10A bell switch(bell)	100pcs	0.0416



M317

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	M324	20A 1 gang double pole switch+neon	100pcs	0.0416
	M327	45A 1 gang double pole switch+neon, single plate	100pcs	0.0416
	M329	45A 1 gang double pole switch+neon, double plate	50pcs	0.0385



M324

- Conform to BS EN 60 669-1
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)

Metal Clad Range

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M405	13A 1 gang switched socket, single pole	100pcs	0.0416
	M406	13A 2 gang switched socket, single pole	50pcs	0.0385
	M409	13A 1 gang switched socket, double pole	100pcs	0.0416
	M410	13A 2 gang switched socket, double pole	50pcs	0.0385



M405

- Conform to BS 1363: Part 2
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	M413	13A fused connection unit+neon	100pcs	0.0416
	M419	13A switched FCU'S+neon	100pcs	0.0416



M419

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M429	15A 1 gang switched round-pin socket	100pcs	0.0416
	M4292	15A 2 gang switched round-pin socket	50pcs	0.0385



M429

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M434	isolated coaxial socket,single outlet	100pcs	0.0416
	M436	isolated coaxial socket,twin outlet	100pcs	0.0416
	M166	single satellite socket	100pcs	0.0416



M436

Metal Clad Range

>> KNOCKOUT BOX

Picture	No.	Description	Carton	Volume(cbm)
	M831	40mm 1 gang cavity box+knockout	100pcs	0.0416
	M832	40mm 2 gang cavity box+knockout	50pcs	0.0385
	M833	50mm 1 gang cavity box+knockout	100pcs	0.0416
	M834	50mm 2 gang cavity box+knockout	50pcs	0.0385



M831 / M832

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M438	1 gang telephone socket,secondary	100pcs	0.0416
	M439	1 gang telephone socket,master	100pcs	0.0416
	M440	2 gang telephone socket,secondary	100pcs	0.0416
	M442	1 gang RJ45 data socket(8 terminal)	100pcs	0.0416
	M443	2 gang RJ45 data socket(8 terminal)	100pcs	0.0416



M438

>> BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	M401	1 gang blank plate	100pcs	0.0416
	M402	2 gang blank plate	50pcs	0.0385




M401

All metal clad sockets and switches are supplied with back boxes

- Conform to BS 5733
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

Mirror Finish RANGE


Classic design, tasters' choice
Golden and silver colour for selection
No colour fading



Mirror Finish Range Golden Color

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA301PB	1 gang 1 way plate switch	100pcs	0.034
	TA302PB	1 gang 2 way plate switch	100pcs	0.034
	TA303PB	2 gang 1 way plate switch	100pcs	0.034
	TA304PB	2 gang 2 way plate switch	100pcs	0.034
	TA305PB	3 gang 1 way plate switch	100pcs	0.034
	TA306PB	3 gang 2 way plate switch	100pcs	0.034
	TA307PB	4 gang 1 way plate switch	50pcs	0.029
	TA308PB	4 gang 2 way plate switch	50pcs	0.029
	TA309PB	6 gang 1 way plate switch	50pcs	0.029
	TA310PB	6 gang 2 way plate switch	50pcs	0.029



TA301PB



TA305PB

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	TA317PB	1 gang bell switch	100pcs	0.034




TA317PB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

REMARKS:
White Insert and Black Insert are both Available

Mirror Finish Range Golden Color

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA324PB	20A 1 gang double pole switch+neon	100pcs	0.034
	TA327PB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	TA329PB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	TA331PB	45A switch+neon+13A switched socket+neon	50pcs	0.029



TA327PB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA350PB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	TA351PB	250W 1 gang speed switch	100pcs	0.034
	TA353PB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	TA355PB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	TA356PB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	TA555PB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	TA556PB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



TA353PB

- Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA405PB	13A 1 gang switched socket, single pole	100pcs	0.034
	TA406PB	13A 2 gang switched socket, single pole	50pcs	0.029
	TA409PB	13A 1 gang switched socket, double pole	100pcs	0.034
	TA410PB	13A 2 gang switched socket, double pole	50pcs	0.029



TA405PB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Mirror Finish Range Golden Color

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	TA413PB	13A fused connection unit+neon	100pcs	0.034
	TA419PB	13A switched FCU'S+neon	100pcs	0.034



TA422PB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS


Picture	No.	Description	Carton	Volume(cbm)
	TA429PB	15A 1 gang switched round-pin socket, BS546	100pcs	0.034




TA429PB

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA434PB	isolated coaxial socket, single outlet	100pcs	0.034
	TA436PB	isolated coaxial socket, twin outlet	100pcs	0.034
	TA166PB	single satellite socket	100pcs	0.034
	TA168PB	double satellite socket	100pcs	0.034



TA434PB

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA438PB	1 gang telephone socket, secondary	100pcs	0.034
	TA439PB	1 gang telephone socket, master	100pcs	0.034
	TA440PB	2 gang telephone socket, secondary	100pcs	0.034
	TA441PB	2 gang telephone socket, master	100pcs	0.034
	TA442PB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	TA443PB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



TA438PB

Mirror Finish Range Golden Color

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	TA820PB	20A connection plate	100pcs	0.034
	TA821PB	45A connection plate	100pcs	0.034
	TA401PB	1 gang blank plate	200pcs	0.034
	TA402PB	2 gang blank plate	100pcs	0.029



TA401PB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



Mirror Finish Range Sliver Color

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA301PC	1 gang 1 way plate switch	100pcs	0.034
	TA302PC	1 gang 2 way plate switch	100pcs	0.034
	TA303PC	2 gang 1 way plate switch	100pcs	0.034
	TA304PC	2 gang 2 way plate switch	100pcs	0.034
	TA305PC	3 gang 1 way plate switch	100pcs	0.034
	TA306PC	3 gang 2 way plate switch	100pcs	0.034
	TA307PC	4 gang 1 way plate switch	50pcs	0.029
	TA308PC	4 gang 2 way plate switch	50pcs	0.029
	TA309PC	6 gang 1 way plate switch	50pcs	0.029
	TA310PC	6 gang 2 way plate switch	50pcs	0.029



TA303PC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)


>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	TA317PC	1 gang bell switch	100pcs	0.034



TA317PC

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	TA324PC	20A 1 gang double pole switch+neon	100pcs	0.034
	TA327PC	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	TA329PC	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	TA331PC	45A switch+neon+13A switched socket+neon	50pcs	0.029



TA324PC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Mirror Finish Range Silver Color

>> DIMMER SWITCHES


Picture	No.	Description	Carton	Volume(cbm)
	TA350PC	250W 1 gang dimmer switch, single pole	100pcs	0.034
	TA351PC	250W 1 gang speed switch	100pcs	0.034
	TA353PC	250W 2 gang dimmer switch, single pole	100pcs	0.034
	TA355PC	500W 1 gang dimmer switch, single pole	100pcs	0.034
	TA356PC	500W 2 gang dimmer switch, single pole	100pcs	0.034
	TA555PC	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	TA556PC	1000W 2 gang dimmer switch, single pole	50pcs	0.029



TA356PC

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86,5×86,5 mm (1 gang)
86,5×146,5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA405PC	13A 1 gang switched socket, single pole	100pcs	0.034
	TA406PC	13A 2 gang switched socket, single pole	50pcs	0.029
	TA409PC	13A 1 gang switched socket, double pole	100pcs	0.034
	TA410PC	13A 2 gang switched socket, double pole	50pcs	0.029



TA406PC

- Conform to BS 1363: Part 2

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	TA413PC	13A fused connection unit+neon	100pcs	0.034
	TA419PC	13A switched FCU'S+neon	100pcs	0.034



TA419PC

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA429PC	15A 1 gang switched round-pin socket, BS546	100pcs	0.034



TA429PC

- Conform to BS 546

Mirror Finish Range Silver Color


>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA434PC	isolated coaxial socket, single outlet	100pcs	0.034
	TA436PC	isolated coaxial socket, twin outlet	100pcs	0.034
	TA166PC	single satellite socket	100pcs	0.034
	TA168PC	double satellite socket	100pcs	0.034



TA434PC

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	TA438PC	1 gang telephone socket, secondary	100pcs	0.034
	TA439PC	1 gang telephone socket, master	100pcs	0.034
	TA440PC	2 gang telephone socket, secondary	100pcs	0.034
	TA441PC	2 gang telephone socket, master	100pcs	0.034
	TA442PC	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	TA443PC	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



TA442PC

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	TA820PC	20A connection plate	100pcs	0.034
	TA821PC	45A connection plate	100pcs	0.034
	TA401PC	1 gang blank plate	200pcs	0.034
	TA402PC	2 gang blank plate	100pcs	0.029



TA401PC

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86,5×86,5 mm (1 gang)
86,5×146,5 mm (2 gang)

SATIN GOLDEN & CHROME



CHROME

GOLDEN



Stainless steel satin plate



Unique button design



Superior materials



Modern design

Satin Chrome Range

CHROME

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T301SC	1 gang 1 way plate switch	100pcs	0.034
	T302SC	1 gang 2 way plate switch	100pcs	0.034
	T303SC	2 gang 1 way plate switch	100pcs	0.034
	T304SC	2 gang 2 way plate switch	100pcs	0.034
	T305SC	3 gang 1 way plate switch	100pcs	0.034
	T306SC	3 gang 2 way plate switch	100pcs	0.034
	T307SC	4 gang 1 way plate switch	50pcs	0.029
	T308SC	4 gang 2 way plate switch	50pcs	0.029
	T309SC	6 gang 1 way plate switch	50pcs	0.029
	T310SC	6 gang 2 way plate switch	50pcs	0.029



T305SC



T307SC

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	T317SC	10A bell switch(bell)	100pcs	0.034



T317SC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

REMARKS:

White Insert and Black Insert are both Available

Satin Chrome Range

CHROME

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T324GB/GE	20A 1 gang double pole switch+neon	100pcs	0.034
	T327GB/GE	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	T329GB/GE	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	T331GB/GE	45A switch+neon+13A switched socket+neon	50pcs	0.029



T501SC

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T350SC	250W 1 gang dimmer switch, single pole	100pcs	0.034
	T351SC	250W 1 gang speed switch	100pcs	0.034
	T353SC	250W 2 gang dimmer switch, single pole	100pcs	0.034
	T355SC	500W 1 gang dimmer switch, single pole	100pcs	0.034
	T356XC	500W 2 gang dimmer switch, single pole	100pcs	0.034
	T555SC	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	T556SC	1000W 2 gang dimmer switch, single pole	50pcs	0.029



T355SC

- Conform to BS EN 60 669-2-1, BS 55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T405SC	13A 1 gang switched socket, single pole	100pcs	0.034
	T406SC	13A 2 gang switched socket, single pole	50pcs	0.029
	T409SC	13A 1 gang switched socket, double pole	100pcs	0.034
	T410SC	13A 2 gang switched socket, double pole	50pcs	0.029



T405SC

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

CHROME

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	T413SC	13A fused connection unit+neon	100pcs	0.034
	T419SC	13A switched FCU'S+neon	100pcs	0.034



T419SC

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T429SC	15A 1 gang switched round-pin socket, BS546	100pcs	0.034



T429SC

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T434SC	isolated coaxial socket, single outlet	100pcs	0.034
	T436SC	isolated coaxial socket, twin outlet	100pcs	0.034
	T166SC	single satellite socket	100pcs	0.034
	T168SC	double satellite socket	100pcs	0.034



T434SC

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T438SC	1 gang telephone socket, secondary	100pcs	0.034
	T439SC	1 gang telephone socket, master	100pcs	0.034
	T440SC	2 gang telephone socket, secondary	100pcs	0.034
	T441SC	2 gang telephone socket, master	100pcs	0.034
	T442SC	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	T443SC	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



T438SC

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

CHROME

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	T820SC	20A connection plate	100pcs	0.034
	T821SC	45A connection plate	100pcs	0.034
	T401SC	1 gang blank plate	200pcs	0.034
	T402SC	2 gang blank plate	100pcs	0.029



T820SC

Satin Chrome Range


GOLDEN

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T301SB	1 gang 1 way plate switch	100pcs	0.034
	T302SB	1 gang 2 way plate switch	100pcs	0.034
	T303SB	2 gang 1 way plate switch	100pcs	0.034
	T304SB	2 gang 2 way plate switch	100pcs	0.034
	T305SB	3 gang 1 way plate switch	100pcs	0.034
	T306SB	3 gang 2 way plate switch	100pcs	0.034
	T307SB	4 gang 1 way plate switch	50pcs	0.029
	T308SB	4 gang 2 way plate switch	50pcs	0.029
	T309SB	6 gang 1 way plate switch	50pcs	0.029
	T310SB	6 gang 2 way plate switch	50pcs	0.029



T303SB



T309SB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

GOLDEN

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	T317SB	10A bell switch(bell)	100pcs	0.034



T317SB

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T324SB	20A 1 gang double pole switch+neon	100pcs	0.034
	T327SB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	T329SB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	T331SB	45A switch+neon+13A switched socket+neon	50pcs	0.029



T327SB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	T350SB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	T351SB	250W 1 gang speed switch	100pcs	0.034
	T353SB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	T355SB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	T356SB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	T555SB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	T556SB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



T355SB

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Satin Chrome Range

GOLDEN

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T405SB	13A 1 gang switched socket, single pole	100pcs	0.034
	T406SB	13A 2 gang switched socket, single pole	50pcs	0.029
	T409SB	13A 1 gang switched socket, double pole	100pcs	0.034
	T410SB	13A 2 gang switched socket, double pole	50pcs	0.029



T405SB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	T413SB	13A fused connection unit+neon	100pcs	0.034
	T419SB	13A switched FCU'S+neon	100pcs	0.034



T419SB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T429SB	15A 1 gang switched round-pin socket,BS546	100pcs	0.034




T429SB

- Conform to BS 546

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T434SB	isolated coaxial socket,single outlet	100pcs	0.034
	T436SB	isolated coaxial socket,twin outlet	100pcs	0.034
	T166SB	single satellite socket	100pcs	0.034
	T168SB	double satellite socket	100pcs	0.034



T434SB

Satin Chrome Range

GOLDEN

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	T438SB	1 gang telephone socket,secondary	100pcs	0.034
	T439SB	1 gang telephone socket,master	100pcs	0.034
	T440SB	2 gang telephone socket,secondary	100pcs	0.034
	T441SB	2 gang telephone socket,master	100pcs	0.034
	T442SB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	T443SB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



T438SB

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	T820SB	20A connection plate	100pcs	0.034
	T821SB	45A connection plate	100pcs	0.034
	T401SB	1 gang blank plate	200pcs	0.034
	T402SB	2 gang blank plate	100pcs	0.029




T821SB


- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)



NOBLE SCREWELESS RANGE




How to order



Noble Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	N301AB	1 gang 1 way plate switch	100pcs	0.034
	N302AB	1 gang 2 way plate switch	100pcs	0.034
	N303AB	2 gang 1 way plate switch	100pcs	0.034
	N304AB	2 gang 2 way plate switch	100pcs	0.034
	N305AB	3 gang 1 way plate switch	100pcs	0.034
	N306AB	3 gang 2 way plate switch	100pcs	0.034
	N307AB	4 gang 1 way plate switch	50pcs	0.029
	N308AB	4 gang 2 way plate switch	50pcs	0.029
	N309AB	6 gang 1 way plate switch	50pcs	0.029
	N310AB	6 gang 2 way plate switch	50pcs	0.029



N303AB



N307AB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)


>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	N317AB	10A bell switch(bell)	100pcs	0.034



N317AB

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	N324AB	20A 1 gang double pole switch+neon	100pcs	0.034
	N327AB	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	N329AB	45A 1 gang double pole switch+neon, double plate	50pcs	0.029
	N331AB	45A switch+neon+13A switched socket+neon	50pcs	0.029



N327AB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Noble Range

>> DIMMER SWITCHES


Picture	No.	Description	Carton	Volume(cbm)
	N350AB	250W 1 gang dimmer switch, single pole	100pcs	0.034
	N351AB	250W 1 gang speed switch	100pcs	0.034
	N353AB	250W 2 gang dimmer switch, single pole	100pcs	0.034
	N355AB	500W 1 gang dimmer switch, single pole	100pcs	0.034
	N356AB	500W 2 gang dimmer switch, single pole	100pcs	0.034
	N555AB	1000W 1 gang dimmer switch, single pole	100pcs	0.034
	N556AB	1000W 2 gang dimmer switch, single pole	50pcs	0.029



N355AB

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N405AB	13A 1 gang switched socket, single pole	100pcs	0.034
	N406AB	13A 2 gang switched socket, single pole	50pcs	0.029
	N409AB	13A 1 gang switched socket, double pole	100pcs	0.034
	N410AB	13A 2 gang switched socket, double pole	50pcs	0.029



N405AB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	N413AB	13A fused connection unit+neon	100pcs	0.034
	N419AB	13A switched FCU'S+neon	100pcs	0.034



N419AB

- Conform to BS 1363: Part 4

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N429AB	15A 1 gang switched round-pin socket	100pcs	0.034
	N431AB	15A 1 gang switched round-pin socket+neon	100pcs	0.034



N429AB

- Conform to BS 546

Noble Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N434AB	isolated coaxial socket, single outlet	100pcs	0.034
	N436AB	isolated coaxial socket, twin outlet	100pcs	0.034
	N166AB	1G satellite socket	100pcs	0.034
	N167AB	1G satellite socket+TV socket	100pcs	0.034



N434AB

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	N438AB	1 gang telephone socket, secondary	100pcs	0.034
	N439AB	1 gang telephone socket, master	100pcs	0.034
	N440AB	2 gang telephone socket, secondary	100pcs	0.034
	N442AB	1 gang RJ45 data socket(8 terminal)	100pcs	0.034
	N443AB	2 gang RJ45 data socket(8 terminal)	100pcs	0.034



N438AB

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	N820AB	20A connection plate	100pcs	0.034
	N821AB	45A connection plate	100pcs	0.034
	N401AB	1 gang blank plate	200pcs	0.034
	N402AB	2 gang blank plate	100pcs	0.029



N401AB

Metal Box



Metal Box

Our thickness is among 0.7-1.2mm
Adjustable lugs, screw & copper terminals are all available for your choice
OEM service is available

>> METAL BOX

Picture	No.	Description	Carton	Volume(cbm)
	M835	35mm 1 gang metal box(3×3)	200pcs	0.044
	M836	35mm 2 gang metal box(3×6)	100pcs	0.041
	M837	35mm dual metal box(3×3+3×3)	100pcs	0.046
	M838	35mm 3 gang metal box(3×3+3×3+3×3)	80pcs	0.056
	M839	35mm 3 gang metal box(3×6+3×3)	50pcs	0.034
	M840	35mm multi metal box(3×6+3×3+3×3)	50pcs	0.045

- Conform to BS 4662
- Material: Galvanized Steel
- Adjustable lug is available



ACCESSORIES



Accessories

>> LAMPHOLDERS

Picture	No.	Description	Carton	Volume(cbm)
	W601B22	batten lampholder, long skirt	200pcs	0.0450
	W602B22	batten lampholder, home skirt	200pcs	0.0604
	W605B22	45 angled batten lamphoder, long skirt	200pcs	0.0757
	W606B22	45 angled batten lamphoder, home skirt	200pcs	0.0811
	W601E27	batten lampholder, long skirt	200pcs	0.0450
	W602E27	batten lampholder, home skirt	200pcs	0.0604
	W605E27	45 angled batten lamphoder, long skirt	200pcs	0.0757
	W606E27	45 angled batten lamphoder, home skirt	200pcs	0.0811



W602B22



W605E27

■ Conform to BS EN 61184 & IEC 60238

>> CEILING ROSE, PENDANT SET

Picture	No.	Description	Carton	Volume(cbm)
	W614	cord grip lampholder	400pcs	0.0433
	W615	cord grip lampholder IP, home skirt	400pcs	0.0286
	W618	6" pendant set	50pcs	0.0331
	W619	9" pendant set	50pcs	0.0331
	W620	20" pendant set	50pcs	0.0331



W618M

■ Conform to BS EN 60598-1, BS EN 60598-2-1, BS 67
■ Material: Bakelite
■ Life: 10 Year Guarantee
■ B22 & E27 are available

>> JUNCTION BOX

Picture	No.	Description	Carton	Volume(cbm)
	W701	ceiling rose	100pcs	0.0331
	W817	30A junction box, 90mm, 3 terminal	80pcs	0.0370
	W819	20A junction box, 80mm, 4 terminal	100pcs	0.0370



W817

■ Conform to BS 6220
■ Selective cable entry

Accessories

>> ADAPTORS

Picture	No.	Description	Carton	Volume(cbm)
	W504	13A 2 way adaptor	200pcs	0.0661
	W505	13A 3 way adaptor	200pcs	0.0661
	W506	13A 3 way adaptor+neon	200pcs	0.0661
	W510	13A 3-way multi function adaptor with neon, plastic	200pcs	0.0661



>> PLUGS

Picture	No.	Description	Carton	Volume(cbm)
	W208	13A fused plug	300pcs	0.0661
	W1153	15A round pin plug	300pcs	0.0661



>> CAVITY BOX

Picture	No.	Description	Carton	Volume(cbm)
	W805	25mm single cavity box	200pcs	0.0599
	W807	35mm single cavity box	200pcs	0.0420
	W810	25mm double cavity box	100pcs	0.0505
	W811	35mm double cavity box	100pcs	0.0661



- Conform to BS 5733
- Material: Bakelite
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

Extension Socket

>> EXTENSION SOCKET

Picture	No.	Description	Carton
	W491	13A 2-G trailing socket+neon	80 pcs
	W492	13A 3-G trailing socket+neon	60 pcs
	W493	13A 4-G trailing socket+neon	40 pcs
	W494	13A 2-G trailing switched socket+neon	80 pcs
	W495	13A 4-G trailing switched socket+neon	40 pcs



WATERPROOF SWITCH & SOCKET

Whatever the weather or the environment, our waterproof range leave the seal of approval for all commercial or residential needs



Waterproof Switch & Socket



WP301/302

1 gang 1 way switch
1 gang 2 way switch



WP303/304

2 gang 1 way switch
2 gang 2 way switch



WP305/306

3 gang 1 way switch
3 gang 2 way switch



WP307/308

4 gang 1 way switch
4 gang 2 way switch



WP317

bell switch



WP403

1 gang socket



WP405

1 gang switch socket



WP404

2 gang socket



WP403U

1 gang multi socket



WP405U

1 gang multi switch socket



WP404U

2 gang multi socket



WP428

1 gang 15A socket

Waterproof Switch & Socket



WP429
1 gang 15A switch socket



WP406
2 gang 13A switch socket



WP406U
2 gang 13A multi switch socket



WP333
german socket



WP444
french socket



WP334
2 gang german socket



WP445
2 gang french socket

>> MODULE PART



WP-4041
1 gang socket



WP-4281
1 gang 15A socket



WP3171
bell switch



WP-3331
german socket

Marketing Supports

Pens



Calculator



Authorization letter



T-Shirt



Polo Shirt



Advertisement Boards

21.5×30cm



60×90cm



More...