


Orient Range




Specifications :

1. Unique design of round button, Elegant & Fashion
2. Panel is 3D carved in flower shape, Acrylic is available
3. Fire-retardant base, Steel frame structure
4. Ultra-thin design, Thickness is only 7mm
5. Panel can be customized, Silver& Golden & White colors for choice




1. Speical Round button design ,
Stylish and fashion

2. Fluorescent light is available



3. Acrylic plate,
Durable and nice looking



4. Ultra-thin design,thickness is only 7mm

7mm

Orient Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	O301	1 gang 1 way switch	100pcs	0.034
	O302	1 gang 2 way switch	100pcs	0.034
	O303	2 gang 1 way switch	100pcs	0.034
	O304	2 gang 2 way switch	100pcs	0.034
	O305	3 gang 1 way switch	100pcs	0.034
	O306	3 gang 2 way switch	100pcs	0.034
	O307	4 gang 1 way switch(3×3)	100pcs	0.034
	O308	4 gang 2 way switch(3×3)	100pcs	0.034



O301 O302

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> BELL SWITCH & INTERMEDIATE SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	O313	1 gang 2 way intermediate switch	100pcs	0.034
	O317	10A bell switch(bell)	100pcs	0.029

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	O324	20A 1 gang double pole switch+neon	100pcs	0.034
	O327	45A 1 gang double pole switch+neon, single plate	100pcs	0.034
	O329	45A 1 gang double pole switch+neon, double plate	50pcs	0.029



O324

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Orient Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	O350	250W 1 gang dimmer switch, single pole	100pcs	0.034
	O351	250W 1 gang speed switch	100pcs	0.034
	O355	500W 1 gang dimmer switch, single pole	100pcs	0.034
	O356	500W 2 gang dimmer switch, single pole	100pcs	0.034

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O405	13A 1 gang switched socket, single pole	100pcs	0.034
	O406	13A 2 gang switched socket, single pole	50pcs	0.029
	O407	13A 1 gang switched socket, single pole+neon	100pcs	0.034
	O408	13A 2 gang switched socket, single pole+neons	50pcs	0.029
	O407U	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.034
	O408U	13A 2 gang multi-function switched socket, single pole+neons	50pcs	0.029
	O407DU	1 gang 5 pin multi-function socket, single pole+neon	100pcs	0.034
	O409	13A 1 gang switched socket, double pole	100pcs	0.034
	O410	13A 2 gang switched socket, double pole	50pcs	0.029
	O411	13A 1 gang switched socket, double pole+neon	100pcs	0.034
	O412	13A 2 gang switched socket, double pole+neons	50pcs	0.029



O407

- Conform to BS 1363: Part 2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

Orient Range

>> 13 AMP SOCKET WITH USB OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O4032	13A 1 gang socket+double USB	100pcs	0.034
	O407U2	13A 1 gang switched socket, single pole+double USB+neons	100pcs	0.034
	O403U2	13A 1 gang multi-function socket+double USB	100pcs	0.029
	O408U2	13A 2 gang switched socket, double pole+double USB+neons	50pcs	0.029

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)

>> 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O429	15A 1 gang switched round-pin socket	100pcs	0.034
	O431	15A 1 gang switched round-pin socket+neon	100pcs	0.034




O431

- Conform to BS 546

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	O444	16A 2 gang multi-function socket	100pcs	0.034
	O445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.034
	O446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.034
	O458	shaver socket	25pcs	0.029
	O460	16A 1 gang multi-function socket	100pcs	0.034



O444

Orient Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O432	coaxial socket, single outlet	100pcs	0.034
	O433	coaxial socket, twin outlet	100pcs	0.034
	O166	single satellite socket	100pcs	0.034
	O168	double satellite socket	100pcs	0.034



O432

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	O452	telephone socket	100pcs	0.034
	O438	1 gang telephone socket, secondary	100pcs	0.034
	O439	1 gang telephone socket, master	100pcs	0.034
	O440	2 gang telephone socket, secondary	100pcs	0.0286
	O442	1 gang RJ45 data socket (8 terminal)	100pcs	0.034
	O443	2 gang RJ45 data socket (8 terminal)	100pcs	0.034



O438

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	O820	20A connection plate	100pcs	0.034
	O821	45A connection plate	100pcs	0.034
	O401	1 gang blank plate	200pcs	0.034
	O402	2 gang blank plate	100pcs	0.029



O401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)